


Push-Fit Steel and Stainless Steel Plungers (Steel or Delrin® Plunger)

Vlier Push-Fit Steel plungers are designed for simple, easy installation into wood, soft plastic or aluminum. Ideal where a threaded plunger is impractical or when threaded adjustments are not required. Delrin® plunger resists marring.



• BALL PUSH-FIT PLUNGERS

Standard Push-Fit Plungers - Steel/Stainless Steel

Part No.	End Force, Lbs.		A	B	C	D	E	F
	Steel	Init.	Final					
PFP52	1.5	4.5	0.188	0.441	0.094	0.121	0.25	0.044
PFP54	2.5	6	0.25	0.521	0.125	0.168	0.312	0.055
PFP58	5	14	0.375	0.786	0.187	0.234	0.5	0.096
PFP60	8	18	0.5	1.1	0.25	0.332	0.688	0.134
PFP51	0.75	2	0.188	0.441	0.094	0.121	0.25	0.044
PFP53	1.25	3	0.25	0.521	0.125	0.168	0.312	0.055
PFP57	2.5	7	0.375	0.786	0.187	0.234	0.5	0.096
PFP59	4	9	0.5	1.1	0.25	0.332	0.688	0.134

Standard Push-Fit Plungers - Steel/Stainless Steel

Part No.	End Force, Lbs.		A	B	C	D	E	F
Stainless Steel	Init.	Final						
SPFP51	0.75	2	0.188	0.441	0.094	0.121	0.25	0.044
SPFP53	1.25	3	0.25	0.521	0.125	0.168	0.312	0.055
SPFP57	2.5	7	0.375	0.786	0.187	0.234	0.5	0.096
SPFP59	4	9	0.5	1.1	0.25	0.332	0.688	0.134
SPFP52	1.5	4.5	0.188	0.441	0.094	0.121	0.25	0.044
SPFP54	2.5	6	0.25	0.521	0.125	0.168	0.312	0.055
SPFP58	5	14	0.375	0.786	0.187	0.234	0.5	0.096
SPFP60	8	18	0.5	1.1	0.25	0.332	0.688	0.134

Push-Fit Plungers - Delrin Plunger

Part No.	End Force, Lbs.		O.D.	B	C	D	E	F
Steel	Init.	Final	A					
DPFP52	1.5	4.5	0.188	0.441	0.094	0.121	0.25	0.044
DPFP54	2.5	6	0.25	0.521	0.125	0.168	0.312	0.055
DPFP58	5	14	0.375	0.786	0.187	0.234	0.5	0.096
DPFP60	8	18	0.5	1.1	0.25	0.332	0.688	0.134
DPFP51	0.75	2	0.188	0.441	0.094	0.121	0.25	0.044
DPFP53	1.25	3	0.25	0.521	0.125	0.168	0.312	0.055
DPFP57	2.5	7	0.375	0.786	0.187	0.234	0.5	0.096
DPFP59	4	9	0.5	1.1	0.25	0.332	0.688	0.134

Push-Fit Plunger - Delrin Plunger

Part No.	End Force, Lbs.		O.D. A	B	C	D	E	F
Stainless Steel	Init.	Final						
DSPFP51	0.75	2	0.188	0.441	0.094	0.121	0.25	0.044
DSPFP53	1.25	3	0.25	0.521	0.125	0.168	0.312	0.055
DSPFP57	2.5	7	0.375	0.786	0.187	0.234	0.5	0.096
DSPFP59	4	9	0.5	1.1	0.25	0.332	0.688	0.134
DSPFP52	1.5	4.5	0.188	0.441	0.094	0.121	0.25	0.044
DSPFP54	2.5	6	0.25	0.521	0.125	0.168	0.312	0.055
DSPFP58	5	14	0.375	0.786	0.187	0.234	0.5	0.096
DSPFP60	8	18	0.5	1.1	0.25	0.332	0.688	0.134